

**TABLE DES MATIÈRES DU VOLUME LIII**  
**C O M M U N I C A T I O N S**

	Pages
T. Artikis, <i>On certain classes of distributions</i> . . . . .	315–321
K. P. S. Bhaskara Rao and B. V. Rao, <i>On extensions of measures</i> . . . . .	43–47
E. Damek, <i>A Poisson kernel on Heisenberg type nilpotent groups</i>	239–247
– <i>Curvature of a semi-direct extension of a Heisenberg type nilpotent group</i> . . . . .	249–253
– <i>The geometry of a semi-direct extension of a Heisenberg type nilpotent group</i> . . . . .	255–268
H. Delange, <i>Une remarque sur la dérivée logarithmique de la fonction zêta de Riemann</i> . . . . .	333–335
Z. Gajda, <i>Difference properties of higher orders for continuity and Riemann integrability</i> . . . . .	275–288
Z. Grande, <i>Sur un problème de Ricceri</i> . . . . .	271–273
M. Grochowska, <i>An axiom system for the class of groups of dilatations in Fano–Pappian affine planes</i> . . . . .	169–175
D. Grow, <i>A class of <math>I_0</math>-sets</i> . . . . .	111–124
– <i>A further note on a class of <math>I_0</math>-sets</i> . . . . .	125–128
– <i>Sidon sets and <math>I_0</math>-sets</i> . . . . .	269–270
M.-E. Hamstrom, <i>Homeotopy groups of 3-manifolds – an isomorphism theorem</i> . . . . .	199–204
K. P. Hart, <i>Spaces for which the diagonal has a closed neighborhood base</i> . . . . .	49–56
J. W. Hinrichsen and P. Minc, <i>Concerning irreducible continua with homeomorphic layers</i> . . . . .	185–191
M. A. Khan, <i>On LCA groups each of whose characters is ultimately measurable</i> . . . . .	109–110
K. Kołodziejczyk, <i>On starshapedness of the union of closed sets in <math>R^n</math></i> . . . . .	193–197
K. Koziół, <i>Quadratic form schemes determined by hermitian forms</i>	27–33
G. Kubicki, <i>On a modified game of Sierpiński</i> . . . . .	81–91
J. Kuras, <i>Even equations and Agassiz sums</i> . . . . .	9–16
J. Legut, <i>A game of fair division with continuum of players</i> .	323–331
Z. Lipecki, <i>On independent sequences in topological linear spaces</i>	93–96
<span style="border: 1px solid black; padding: 2px;">T. Maćkowiak</span> , <i>A continuum without the fixed point property which is quasi-homeomorphic with an AR-set</i> . . . . .	79–80
R. Mańka, <i>Connection between set theory and the fixed point property</i> . . . . .	177–184
H. Matuszczyk and W. Waliszewski, <i>Stokes' formula for singular chains in a differential space of finite dimension</i> . . .	211–218

A. Mądrecki, <i>Tensor product of stable measures in Banach spaces of stable type</i> . . . . .	301–307
S. Miklos, <i>Open, confluent and related mappings on generalized graphs</i> . . . . .	63–69
P. Minc voir J. W. Hinrichsen and P. Minc	
D. Motreanu, <i>Optimization problems on complete Riemannian manifolds</i> . . . . .	229–238
M. Morayne, <i>On differentiability of Peano type functions</i> . . . . .	129–132
– <i>On differentiability of Peano type functions. II</i> . . . . .	133–135
P. N. Pandey, <i>Certain types of affine motion in a Finsler manifold. II</i> . . . . .	219–227
H. Patkowska, <i>An example of 2-dimensional quasi-homeomorphic sets</i> . . . . .	71–78
R. J. Pawlak, <i>On rings of Darboux functions</i> . . . . .	289–300
J. Płonka, <i>On lattices of varieties of universal algebras</i>	1–7
R. Pol, <i>On transfinite inductive compactness degree</i> . . . . .	57–61
Š. Porubský and W. Schwarz, <i>Sums of additive functions on arithmetical semigroups</i> . . . . .	137–146
K. Prazmowski, <i>Groups of squares and half-equivalences in geometry</i> . . . . .	157–168
B. V. Rao voir K. P. S. Bhaskara Rao and B. V. Rao	
A. Rotkiewicz and A. Schinzel, <i>On the Diophantine equation <math>x^p + y^{2p} = z^2</math></i> . . . . .	147–153
A. Schinzel voir A. Rotkiewicz and A. Schinzel	
W. Schwarz voir Š. Porubský and W. Schwarz	
R. M. Shortt, <i>Borel-dense Blackwell spaces are strongly Blackwell</i>	35–41
K. Szymiczek, <i>Abstract Grothendieck rings</i> . . . . .	17–25
K. Urbanik, <i>Remarks on joint distributions of observables</i> . . . . .	309–314
W. Waliszewski, <i>On differential spaces whose Cartesian product is a differentiable manifold</i> . . . . .	205–209
– voir H. Matuszczyk and W. Waliszewski	
T. M. Wolniewicz, <i>The Hilbert transform in weighted spaces of integrable vector-valued functions</i> . . . . .	103–108
J. Woś, <i>A remark on the existence of the ergodic Hilbert transform</i>	97–101

## P R O B L È M E S

P 1, P 2, ... désignent les problèmes posés; R 1, R 2, ... désignent les réponses et remarques concernant le problème en tête de ligne. Les autres numéros indiquent les pages. Celles des communications déjà citées dans les remarques sont omises.

**P 865, R 1 337.**  
**P 1276 155.**

**P 1316–P 1324 155.**  
**P 1325–P 1327 337.**

## AUTEURS

Grow P 1322–P 1324 155.

Hart P 1318 et P 1319 155.

Hinrichsen P 1325 337.

Kozioł P 1316 et P 1317 155.

Kubicki P 1320 155.

Mądrecki P 1327 337.

Minc P 1325 337.

Morayne P 1276 155.

Pawlak P 1326 337.

Woś P 1321 155.